

TABLE OF CONTENTS

PART 1 GENERAL REQUIREMENTS AND COVENANTS

SECTION 101 GENERAL INFORMATION, DEFINITIONS, AND TERMS.....13

SECTION 102 BIDDING REQUIREMENTS AND CONDITIONS.....21

SECTION 103 CONTRACT AWARD AND EXECUTION.....26

Revise 103.2(1) to specify that the department will flip a coin to determine the low bidder in the case of a tie.

Revise 103.6(1) to require the submission of information demonstrating that the contractor will perform at least 30 percent of the original contract amount with the contractor's own organization as a condition of contract execution. See also 108.1.2 for the content of that documentation, CMM 2-10-20 WS 1081.

SECTION 104 SCOPE OF WORK.....28

Revise 104.9(2) by splitting into two paragraphs to require the contractor to contact the airport manager or airport owner and the department's bureau of aeronautics if proposing to create or enlarge a body of impounded water within 5 miles of a public-use airport.

SECTION 105 CONTROL OF THE WORK.....37

Revise 105.4(3) to clarify that the additional special provisions rank just above interim supplemental specifications in the governing order of contract documents. The general rule is that project specific documents trump the more general documents that are the same across all contracts. This revision was introduced in ASP 6 effective with the November 2004 letting.

SECTION 106 CONTROL OF MATERIALS.....45

Revise 106.3.3 by dividing into subsections to expressly allow precast alternates for any cast-in-place concrete the contract shows. Precast alternates must conform to all contract requirements and be produced in a certified plant.

SECTION 107 LEGAL RELATIONS AND RESPONSIBILITY TO THE PUBLIC.....50

Revise 107.26(1) to eliminate confusion over the department's insurance requirements. The required minimum coverage for the contractor's commercial general liability is \$2 million per occurrence with annual aggregate limit of \$4 million or more. This revision was introduced in ASP 6 effective with the November 2004 letting.

SECTION 108 PROSECUTION AND PROGRESS.....59

Revise 108.1.2(1) to conform to FHWA guidelines that allow the prime to count the value of materials purchased for installation by others. Also clarify that trucks leased by the prime, paid either by the hour or by weight, are considered part of the prime's organization. The stated intent of the federally mandated 30 percent rule is to prevent brokered contracts. Recent WisDOT changes are designed to simplify the 30 percent calculation and make it easier for contractors to comply given the Wisconsin contracting environment where brokering is not a serious concern. Related process changes include a new automated worksheet, CMM 2-10-20 WS 1081, and demonstration of contractor compliance as a condition of the department's execution of the contract. See also 103.6(1) for submission timing requirements.

Revise 108.4.1(2) to eliminate the need for a special provision to mobilize advanced scheduling provisions. If the contract contains no scheduling bid item, the provisions of 108.4.2 apply. If the contract contains the RBC Progress Schedule bid item, the provisions of 108.4.3 apply. If the contract contains the CPM Progress Schedule bid item, the provisions of 108.4.4 apply. This revision was introduced in ASP 6 effective with the August 2004 letting.

Revise 108.4.3.1(1) to eliminate the need for a special provision to mobilize advanced scheduling provisions. If the contract contains the RBC Progress Schedule bid item, the provisions of 108.4.3 apply. This revision was introduced in ASP 6 effective with the August 2004 letting.

Revise 108.4.3.6(1) to eliminate the need for a special provision to mobilize advanced scheduling provisions. If the contract contains the RBC Progress Schedule bid item, the provisions of 108.4.3 apply. This revision was introduced in ASP 6 effective with the August 2004 letting.

Revise 108.4.4.1(1) to eliminate the need for a special provision to mobilize advanced scheduling provisions. If the contract contains the CPM Progress Schedule bid item, the provisions of 108.4.4 apply. This revision was introduced in ASP 6 effective with the August 2004 letting.

Revise 108.4.4.7(1) to eliminate the need for a special provision to mobilize advanced scheduling provisions. If the contract contains the CPM Progress Schedule bid item, the provisions of 108.4.4 apply. This revision was introduced in ASP 6 effective with the August 2004 letting.

Revise 108.11(3) to update the amounts charged for liquidated damages based on fiscal 2004 analysis.

SECTION 109 MEASUREMENT AND PAYMENT.....72

PART 2 EARTHWORK

<u>SECTION 201 CLEARING AND GRUBBING</u>	<u>83</u>
Revise 201.5(3) to return to previous language that did not use bid items measured by the station to pay for clearing and grubbing ordered and performed beyond the clearing and grubbing limits.	
<u>SECTION 202 ROADSIDE CLEARING</u>	<u>87</u>
<u>SECTION 203 REMOVING OLD CULVERTS AND BRIDGES</u>	<u>89</u>
<u>SECTION 204 REMOVING OR ABANDONING MISCELLANEOUS STRUCTURES</u>	<u>93</u>
<u>SECTION 205 ROADWAY AND DRAINAGE EXCAVATION</u>	<u>100</u>
<u>SECTION 206 EXCAVATION FOR STRUCTURES</u>	<u>108</u>
<u>SECTION 207 EMBANKMENT</u>	<u>113</u>
<u>SECTION 208 BORROW</u>	<u>117</u>
<u>SECTION 209 GRANULAR BACKFILL</u>	<u>119</u>
<u>SECTION 210 STRUCTURE BACKFILL</u>	<u>121</u>
<u>SECTION 211 PREPARING THE FOUNDATION</u>	<u>122</u>
<u>SECTION 213 FINISHING ROADWAY</u>	<u>126</u>
<u>SECTION 214 OBLITERATING OLD ROAD</u>	<u>128</u>

PART 3 BASES AND SUBBASES

<u>SECTION 301 GENERAL REQUIREMENTS FOR BASE AGGREGATES</u>	<u>131</u>
<u>SECTION 305 DENSE GRADED BASE</u>	<u>137</u>
<u>SECTION 306 SALVAGED ASPHALTIC PAVEMENT BASE</u>	<u>140</u>
<u>SECTION 310 OPEN GRADED BASE</u>	<u>141</u>
<u>SECTION 311 BREAKER RUN</u>	<u>142</u>
<u>SECTION 312 SELECT CRUSHED MATERIAL</u>	<u>143</u>
<u>SECTION 313 PIT RUN</u>	<u>144</u>
<u>SECTION 315 ASPHALTIC BASE</u>	<u>145</u>
<u>SECTION 320 CONCRETE BASE</u>	<u>146</u>
<u>SECTION 325 PULVERIZED AND RE-LAID PAVEMENT</u>	<u>148</u>
<u>SECTION 330 MILLED AND RE-LAID PAVEMENT</u>	<u>149</u>
<u>SECTION 335 RUBBLIZED PAVEMENT</u>	<u>150</u>
<u>SECTION 340 CRACKED AND SEATED PAVEMENT</u>	<u>152</u>
<u>SECTION 350 SUBBASE</u>	<u>153</u>
<u>SECTION 390 BASE PATCHING</u>	<u>155</u>

PART 4 PAVEMENTS

<u>SECTION 415 CONCRETE PAVEMENT</u>	<u>158</u>
Revise 415.2.11.6.3 by dividing into subsections to allow either longitudinal or transverse tining at the contractor's option. The department encourages the contractor to use longitudinal tining wherever feasible to reduce noise. Because longitudinal tining requires automated control to assure straight tining, transverse tining is still required where machine tining is not practical. This revision implements 2005 construction note number 1.	
<u>SECTION 416 CONCRETE PAVEMENT - APPURTENANT CONSTRUCTION</u>	<u>177</u>
Revise 416.2.1(1) to clarify that all concrete placed under section 416 must conform to the air content and other general requirements for concrete specified in section 501.	
<u>SECTION 450 GENERAL REQUIREMENTS FOR ASPHALTIC PAVEMENTS</u>	<u>184</u>
<u>SECTION 455 ASPHALTIC MATERIALS</u>	<u>191</u>

SECTION 460 HOT MIX ASPHALT PAVEMENT.....196

Revise 460.2.7(1) to clarify that the tabulated values are design limits that may be exceeded during mix production.

Revise 460.2.8.3.1.8(2) to clarify that the department will reduce pay for nonconforming material left in place.

Revise 460.3.3.1(1) to specify minimum required density for side roads, crossovers, turn lanes, and ramps.

Revise 460.3.3.2(4) to provide more state-wide uniformity in the number of tests required for legs of side roads at intersections, crossovers, turn lanes, and ramps by referencing CMM 4-5-90.

SECTION 465 ASPHALTIC SURFACE210

SECTION 475 SEAL COAT.....212

SECTION 490 SALVAGED ASPHALTIC PAVEMENT214

PART 5 STRUCTURES

SECTION 501 CONCRETE217

Revise 501.3.2.4.2(3) to clarify the air content requirement for slip-formed versus non-slip-formed concrete.

Revise 501.3.5.4 to require computer-printed batch tickets for ready-mixed concrete.

SECTION 502 CONCRETE BRIDGES.....238

Revise 502.3.(1) to explicitly prohibit slip-forming parapets unless the special provisions explicitly allow slip-forming. This revision was introduced in ASP 6 effective with the November 2004 letting.

Revise 502.3.13(5) to delete the reference to anti-spalling compounds. The specific properties of protective surface treatment products are addressed when they are added to the approved products list.

SECTION 503 PRESTRESSED CONCRETE MEMBERS260

SECTION 504 CULVERTS, RETAINING WALLS AND ENDWALLS.....267

SECTION 505 STEEL REINFORCEMENT269

Revise 505.3.3 to incorporate a bridge project special provision specifying bar couplers typically used at deck construction joints for staged construction. This entire subsection was also reorganized with enclosed subsections to better define the different splicing methods. A general section for mechanical couplers was added to address a number of coupler systems we have been approving by department proof testing. The specific requirements for mechanical butt splices for larger bars was eliminated in favor of those general requirements. See also bid items added.

Add 505.4(2) to describe the measurement of new Bar Coupler bid items previously specified in a project special provision. See also bid items added.

Revise 505.5(1) to include new Bar Coupler bid items previously specified in a project special provision. See also bid items added.

Revise 505.5(2) to clarify that the department will not adjust the pay for bar steel as detailed where couplers are specified.

Add 505.5(4) to describe payment for new Bar Coupler bid items previously specified in a project special provision.

SECTION 506 STEEL BRIDGES275

SECTION 507 TIMBER STRUCTURES297

Revise 507.2.3 to list the oil-soluble and waterborne preservatives separately. The sign post specifications call for using waterborne pressure treatment only. Also delete ammoniacal copper arsenate solution because it is no longer produced, add ammoniacal copper quat solution type B, and add the new generation preservative copper azole. This revision was introduced in ASP 6 effective with the December 2004 letting.

SECTION 508 TIMBER PILING.....304

SECTION 509 CONCRETE OVERLAY AND STRUCTURE REPAIR.....313

SECTION 510 CAST IN PLACE CONCRETE PILING.....318

SECTION 511 STEEL PILING.....322

Revise 511.1(2) to include new bid items for pile redriving in non-granular soils to establish the proper tip elevation for the piles in each substructure and for preboring steel piling into sound rock and. These changes incorporate STSP 511-005 and STSP 511-007. See also bid items added.

Revise 511.2.2(1) to clarify area, wall thickness, and marking requirements for oil field pipe.

Add subsection 511.2.3 to specify pile points from the department's approved products list. This change incorporates STSP 511-020.

Add subsection 511.2.4 to specify concrete used to fill prebored rock sockets for steel piling. This change incorporates STSP 511-007.

Add subsection 511.3.6 to specify pile point welding. This change incorporates STSP 511-020.

Add subsection 511.3.7 to specify pile redriving in non-granular soils. This change incorporates STSP 511-005.

Add subsection 511.3.8 to specify preboring steel piling into solid rock. This change incorporates STSP 511-007.

Add 511.4(3) and 511.4(4) to specify measurement for the Pile Redriving and Piling Steel Preboring bid items.

Revise 511.5 to include to include new bid items the Pile Redriving and Piling Steel Preboring bid items. These changes incorporate STSP 511-005 and STSP 511-007. See also bid items added.

SECTION 512 STEEL SHEET PILING.....326

SECTION 513 RAILING327

Add 513.2.1(9) to specify the vinyl coated chain link fabric, ties, and tension bars used for the ornamental protective screening under the Railing Tubular Screening bid item.

Add 513.3.5 "Screening" to specify the construction requirements for PVC coated chain link fence screening used under the Railing Tubular Screening bid item.

SECTION 514 FLOOR DRAINS, DECK DRAINS, AND DOWNSPOUTS331

SECTION 515 STEEL GRID FLOORS.....333

SECTION 516 WATERPROOFING335

SECTION 517 PAINT AND PAINTING.....337

SECTION 518 MORTAR RUBBLE MASONRY AND DRY RUBBLE MASONRY346

SECTION 519 BRICK MASONRY AND CONCRETE BRICK OR BLOCK MASONRY349

SECTION 520 PIPE CULVERTS.....351

SECTION 521 CORRUGATED STEEL PIPE CULVERTS.....355

SECTION 522 REINFORCED CONCRETE PIPE CULVERTS357

SECTION 523 REINFORCED CONCRETE HORIZONTAL ELLIPTICAL PIPE CULVERTS359

SECTION 524 SALVAGED PIPE CULVERTS361

SECTION 525 CORRUGATED ALUMINUM PIPE CULVERTS.....362

SECTION 526 TEMPORARY STRUCTURE363

SECTION 527 STRUCTURAL PLATE PIPE AND PIPE ARCHES364

SECTION 528 POLYMER COATED CORRUGATED STEEL PIPE CULVERTS366

SECTION 529 ALUMINUM COATED CORRUGATED STEEL PIPE CULVERTS367

SECTION 530 CORRUGATED POLYETHYLENE PIPE CULVERTS368

PART 6 INCIDENTAL CONSTRUCTION

SECTION 601 CONCRETE CURB AND GUTTER370

SECTION 602 CONCRETE SIDEWALKS, LOADING ZONES, SAFETY ISLANDS, AND STEPS.....373

SECTION 603 CONCRETE BARRIER.....377

Revise 603.4(3) to change the bid item name from "Concrete Barrier Temporary Precast Contractor Furnished & Installed" to "Concrete Barrier Temporary Precast Contractor Installed" consistent with the new bid item introduced with the 2004 supplement. This revision was introduced in ASP 6 effective with the April 2005 letting.

SECTION 604 SLOPE PAVING381

SECTION 605 DITCH CHECKS383

SECTION 606 RIPRAP.....384

SECTION 607 STORM SEWERS.....386

SECTION 608 REINFORCED CONCRETE PIPE STORM SEWERS390

SECTION 609 RELAID STORM SEWERS392

<u>SECTION 610 REINFORCED CONCRETE HORIZONTAL ELLIPTICAL PIPE STORM SEWERS</u>	<u>393</u>
<u>SECTION 611 CATCH BASINS, MANHOLES, AND INLETS</u>	<u>395</u>
<u>SECTION 612 UNDERDRAINS</u>	<u>399</u>
<u>SECTION 614 GUARD FENCE, BEAM GUARD, MARKER POSTS, AND CRASH CUSHIONS</u>	<u>403</u>
<u>SECTION 615 TREATED RUSTIC TIMBER ITEMS AND HISTORICAL MARKERS</u>	<u>413</u>
<u>SECTION 616 PROPERTY AND RIGHT-OF-WAY FENCE</u>	<u>416</u>
<p>Add new 616.2.3.1(3) and renumber existing paragraph three to clarify that the department will allow hot-dipped zinc - 5% aluminum mischmetal alloy coating as a substitute for hot-dipped galvanized coating. The coatings must be applied to rolled sections after rolling. This change incorporates STSP 616-005.</p> <p>Revise 616.2.3.2(1) to require knuckling on both the top and bottom edges of chain link fence fabric. Barbed edges pose a safety hazard whether on the top or bottom.</p>	
<u>SECTION 617 HAULING</u>	<u>423</u>
<u>SECTION 618 MAINTENANCE AND REPAIR OF HAUL ROADS</u>	<u>424</u>
<u>SECTION 619 MOBILIZATION</u>	<u>425</u>
<u>SECTION 620 CONCRETE CORRUGATED MEDIAN AND CONCRETE MEDIAN NOSE</u>	<u>426</u>
<u>SECTION 621 LANDMARK REFERENCE MONUMENTS</u>	<u>428</u>
<u>SECTION 623 DUST CONTROL SURFACE TREATMENT</u>	<u>430</u>
<u>SECTION 624 WATER</u>	<u>431</u>
<u>SECTION 625 TOPSOIL AND SALVAGED TOPSOIL</u>	<u>432</u>
<u>SECTION 626 PEAT HUMUS</u>	<u>434</u>
<u>SECTION 627 MULCHING</u>	<u>435</u>
<u>SECTION 628 EROSION CONTROL</u>	<u>437</u>

Revise 628.4.1.1(1) to eliminate the delivered and installed bid items. The work and how it is measured does not change, but now there is a only one bid item that includes both delivery and installation for erosion mat, erosion bales, temporary ditch checks, and silt fence.

Change the title of 628.4.2 and revise the entire text to combine the delivered and installed bid items for erosion mat.

Vacate subsection 628.4.3.

Change the title of 628.4.4 and revise the entire text to combine the delivered and installed bid items for erosion bales.

Vacate subsection 628.4.5.

Change the title of 628.4.6 and revise the entire text to combine the delivered and installed bid items for silt fence.

Vacate subsection 628.4.7.

Revise 628.4.11(1) to reference the new contract bid items combining delivery and installation.

Revise 628.4.12(1) to reference the new contract bid items combining delivery and installation.

Change the title of 628.4.17 and revise the entire text to combine the delivered and installed bid items for temporary ditch checks.

Vacate subsection 628.4.18.

Revise 628.5.1 to eliminate the delivered and installed bid items. The work and how it is measured does not change, but now there is a only one bid item that includes both delivery and installation for erosion mat, erosion bales, temporary ditch checks, and silt fence. See also bid items added and retired.

Change the title of 628.5.2 and revise the entire text to combine the delivered and installed bid items for erosion mat.

Vacate subsection 628.5.3.

Change the title of 628.5.4 and revise the entire text to combine the delivered and installed bid items for erosion bales.

Vacate subsection 628.5.5.

Change the title of 628.5.6 and revise the entire text to combine the delivered and installed bid items for silt fence.

Vacate subsection 628.5.7.

Change the title of 628.5.17 and revise the entire text to combine the delivered and installed bid items for temporary ditch checks.

Vacate subsection 628.5.18.

SECTION 629 FERTILIZER AND AGRICULTURAL LIMESTONE	448
SECTION 630 SEEDING	451
SECTION 631 SODDING	459
SECTION 632 FURNISHING AND PLANTING PLANT MATERIALS	461
SECTION 633 DELINEATOR POSTS AND DELINEATORS	471
SECTION 634 WOOD AND TUBULAR STEEL SIGN POSTS	474

Change the 634.2.1 subsection title from "General" to "Wood" and consolidate all the wood post materials requirements, previously contained in 634.2.1 through 634.2.4, into a single subsection. Revise the preservative requirements to require chromated copper arsenate treated. The other waterborne preservatives have a high copper content, which causes severe corrosion and early deterioration of aluminum. This revision was introduced in ASP 6 effective with the December 2004 letting.

SECTION 635 STRUCTURAL STEEL SIGN SUPPORTS	477
---	------------

Add 635.3.5 "Replacing Base Connection Bolts" to eliminate the need for a project special provision specifying connection bolt replacement. See also bid items added.

Add 635.4(3) to specify that the department will measure the Sign Supports Replacing Base Connection Bolts bid item as each sign support having bolts replaced.

Revise 635.5 to add the Sign Supports Replacing Base Connection Bolts bid item. See also bid items added.

SECTION 636 CONCRETE SIGN SUPPORTS	479
SECTION 637 SIGNING	481

Revise 637.2.1.3(5) to allow thinner signs for larger widths of signs other than stop signs. Current department practice is to use these thinner requirements for department-provided signs provided under maintenance contracts. This specification change rectifies the discrepancy between contractor-provided and department-provided sign thickness.

Add 637.2.1.3(6) to specify the required thickness for various sizes of stop signs.

Revise 637.2.2.2(1) to allow the contractor to use either type III encapsulated bead high intensity sheeting or type IV prismatic high intensity sheeting for type H reflective signs. This revision implements 2005 construction note number 2.

Replace the entire text of 637.2.3.5 to require the contractor to use departmental stickers instead of stenciling identification code and installation date markings on the backs of signs.

Revise 637.3.2.8.2(2) to eliminate the reference to treated sign posts. Lumber battens are only used on plywood signs where restrictions on preservative type to prevent corrosion do not apply. This revision was introduced in ASP 6 effective with the December 2004 letting.

Revise 637.3.2.8.3(1) to refer to revised provisions in 634.2.1(3) that now require chromated copper arsenate pressure treated lumber. This revision was introduced in ASP 6 effective with the December 2004 letting.

Revise 637.3.2.8.4(1) to refer to revised provisions in 634.2.1(3) that now require chromated copper arsenate pressure treated lumber. This revision was introduced in ASP 6 effective with the December 2004 letting.

Revise 637.3.3.2(1) to require the contractor to establish sign locations instead of the engineer. This change came out of the department's strategic reduction plan as a way to accommodate cutbacks in survey crew staffing. Also revise 637.3.3.2(1) and 637.3.3.2(2) to consistently require positioning of signs as the plans show or as the engineer directs.

SECTION 638 STATE OWNED SIGNS AND SUPPORTS	489
---	------------

Revise 638.3.4(2) to require that the contractor return type II signs to the department.

Revise 638.3.8(2) to require the contractor to give the department a 10-day notice before loading and hauling signs.

SECTION 639 DRILLING WELLS	491
SECTION 641 SIGN BRIDGES AND SUPPORTS	497

Revise 641.2.9(2) to specify new fatigue design criteria for overhead sign supports.

Revise 641.2.9(4) to eliminate the central office submission requirements for shop drawings of overhead sign supports.

Revise 641.2.9(5) to specify tapered pole and arm shafts for single member elements.

SECTION 642 FIELD FACILITIES	504
-------------------------------------	------------

Revise 642.2.2.1(1) to require long distance service on all field office phone lines.

Add 642.2.2.1(6) to specify minimum requirements for office chairs provided for department use in field offices.

Revise 642.2.2.3(1) to delete the requirement for 2 office chairs now required under in 642.2.2.1.

Revise 642.2.2.4(1) to revise the requirement for 3 office chairs, 2 of which are now required under in 642.2.2.1.

Revise 642.2.3(1) to avoid adding an office chair requirement by reference to the revised 642.2.2.1.

SECTION 643 TRAFFIC CONTROL507

Add 643.1(2) to describe traffic control items that remain in place after contract completion, typically used to provide barricades in areas where future work will take place after an extended period of time and under a different contract. This addition incorporates STSP 643-010.

Add 643.2.4(4) to require new 8-foot barricades under the Traffic Control Barricades Permanent bid items. This addition incorporates STSP 643-010.

Revise 643.3.1 by adding a new paragraph 5 and renumbering existing paragraphs 5 through 11 to specify the installation of permanent barricades under the Traffic Control Barricades Permanent bid items. This revision incorporates STSP 643-010.

Revise 643.3.8.5(1) to clarify that the Traffic Control Detour Signs bid item is for M-series signs or the signs that the plans indicate typically in the miscellaneous quantities.

Add 643.4.3(6) to define measurement for the Traffic Control Barricades Permanent bid items. This addition incorporates STSP 643-010.

Revise 643.5.1(1) to add Traffic Control Barricades Permanent bid items for barricades that remain in place after contract completion, typically used to provide barricades in areas where future work will take place after an extended period of time and under a different contract. This addition incorporates STSP 643-010. See also bid items added.

Revise 643.5.4 by adding a new paragraph 4 and renumbering existing paragraphs 4 through 10 to specify payment under the Traffic Control Barricades Permanent bid items. This revision incorporates STSP 643-010.

Revise existing 643.5.4(9) to clarify that the Traffic Control Detour Signs bid item is for M-series signs or the signs that the plans indicate typically in the miscellaneous quantities.

SECTION 645 GEOTEXTILE FABRICS.....518

SECTION 646 PAVEMENT MARKINGS.....524

Change the title of 646.2.5 and revise the entire text to include requirements for both the preformed plastic and preformed thermoplastic bid items.

Revise 646.3.1(1) to delete the Pavement Marking Channelizing bid items. Channelizing lines are now included under the Pavement Marking bid items. Also remove requirements under the Pavement Marking Same Day bid item that are redundant with the general requirements of 646.3.1(6).

Revise 646.3.3.2 by adding a new paragraph 5 for SMA preparation and renumbering existing paragraphs 5 through 8.

Revise existing 646.3.3.2(5) to require an initial application rate of 27.5 gallons per mile for SMA.

Revise existing 646.3.3.2(7) to require 25 pounds per gallon of glass beads for the initial application on SMA.

Change the title 646.3.3.3 and revise the entire text to include requirements for both the preformed plastic and preformed thermoplastic bid items.

Revise 646.3.3.4(1) to define the end of the "over-winter" proving period as April 15 of the next calendar year and to include both preformed plastic and preformed thermoplastic markings in the proving period.

Revise 646.3.3.4(2) to include both preformed plastic and preformed thermoplastic markings.

Revise 646.5(1) to delete the Pavement Marking Channelizing bid items. Designers should use 8-inch bid items added to under the Pavement Marking (material) (width) bid items. Additional items for 12-inch and 16-inch lines are also added. See also bid items added.

Revise 646.5(3) to clarify that the department does not pay separately for temporary marking placed at the contractor's option in lieu of permanent marking where same-day marking is required.

SECTION 647 SPECIAL PAVEMENT MARKINGS531

Revise 647.4(1) to specify that the department will measure the Pavement Marking Yield Line bid items as each individual triangle.

Revise 647.5(1) to add an additional bike symbol marking. There are now 2 bike symbol markings; type "Lane" and type "Detector". Also add Pavement Marking Yield Line bid items into the range of numbers previously reserved for the Pavement Marking Curb Ramp bid items.

SECTION 648 LOCATING NO-PASSING ZONES.....533

Revise 648.3.2(1) to require the contractor report to the engineer before beginning work under the Locating No-Passing Zones bid item.

Revise 648.3.2(3) to correct an error in the minimum distance between zones for 45 - 50 mph.

Revise 648.3.2(4) to limit the line of sight for horizontal curves to the area between the outside of the shoulders.

Revise 648.3.2(7) to eliminate the requirement for a barrier line on a departure from a divided highway.

Revise 648.3.2(11) to require the contractor to include the cardinal direction of travel in the odometer log.

SECTION 649 TEMPORARY PAVEMENT MARKINGS.....535

Revise 649.5(1) to delete the Pavement Marking Channelizing bid items. Designers should use Temporary Pavement Marking 8-Inch bid items.

Revise 649.5(2) to clarify that the department does not pay separately for temporary marking placed at the contractor's option in lieu of permanent marking where same-day marking is required.

SECTION 650 CONSTRUCTION STAKING537

SECTION 651 GENERAL REQUIREMENTS FOR ELECTRICAL WORK541

SECTION 652 ELECTRICAL CONDUIT544

Revise 652.2.2(1) to require identification and inspection. according to ANSI C 80.1.

SECTION 653 PULL BOXES AND JUNCTION BOXES.....548

SECTION 654 BASES.....549

Revise 654.2.1(2) to change the ASTM reference from A 449 or A 687 to F 1554 and eliminate the yield strength and elongation requirements for traffic signal and street light bases.

Add 654.2.1(3) to require anchor rods, nuts, and washers conforming to AASHTO M 314 for monotube pole bases.

SECTION 655 ELECTRICAL WIRING551

Revise the subsection title to eliminate reference to the grounded conductor now incorporated in the traffic signal cable.

Revise 655.2.5(1) to eliminate the separate grounded conductor because the traffic signal cable now contains the grounded conductor.

Revise 655.3.3(7) to require that the grounded conductor in feeder and pole cables is 12 inches longer than the ungrounded conductors.

Revise the subsection title to eliminate reference to the grounded conductor now incorporated in the traffic signal cable.

Revise 655.3.6(1) to eliminate the separate grounded conductor because the traffic signal cable now contains the grounded conductor.

SECTION 656 ELECTRICAL SERVICE.....558

SECTION 657 POLES, ARMS, STANDARDS, AND BASES.....561

Revise 657.2.1(2) to update to the current AASHTO fatigue requirements.

SECTION 658 TRAFFIC SIGNALS.....566

SECTION 659 LIGHTING569

Revise 659.2.1(8) to require encapsulated igniters for high-pressure sodium luminaires.

Revise 659.2.2(3) to eliminate the requirement for lag type ballasts.

Revise 659.2.2(4) to eliminate 4 ballast types to standardize and simplify installations.

Revise 659.2.2(6) to eliminate references to deleted ballast types.

Revise 659.2.3(2) to eliminate the requirement for lag type ballasts.

Revise 659.2.4(4) to eliminate the requirement for lag type ballasts.

Revise 659.2.5(5) to eliminate the requirement for lag type ballasts.

Revise the subsection title by changing "Lighting Units, Walkways" to "Lighting Units for Walkways".

Revise 659.2.6(5) to eliminate the requirement for lag type ballasts.

SECTION 660 HIGH MAST LIGHTING.....574

SECTION 661 TEMPORARY TRAFFIC SIGNALS AND TEMPORARY RAMP METERS579

Revise 661.3.3.1(1) to clarify that support cables attached to a bridge must be protected with rigid nonmetallic conduit.

<u>SECTION 670 GENERAL REQUIREMENTS FOR INTELLIGENT TRANSPORTATION SYSTEMS</u>	<u>586</u>
<u>SECTION 671 INTELLIGENT TRANSPORTATION SYSTEMS - CONDUIT</u>	<u>589</u>
<u>SECTION 672 INTELLIGENT TRANSPORTATION SYSTEMS - BASES</u>	<u>591</u>
<u>SECTION 673 COMMUNICATION VAULT</u>	<u>593</u>
<u>SECTION 674 INTELLIGENT TRANSPORTATION SYSTEMS - CABLE</u>	<u>594</u>
<u>SECTION 675 CONTROLLERS AND DETECTORS</u>	<u>597</u>
<u>SECTION 676 SIGNAL ASSEMBLIES</u>	<u>599</u>
<u>SECTION 677 CAMERAS</u>	<u>603</u>
<u>SECTION 678 COMMUNICATION SYSTEMS</u>	<u>606</u>
<u>SECTION 690 SAWING PAVEMENT</u>	<u>610</u>
<u>SCHEDULE OF BID ITEMS</u>	<u>611</u>
<u>Part 1 Bid Items</u>	<u>611</u>
<u>Part 2 Bid Items</u>	<u>611</u>
<u>Part 3 Bid Items</u>	<u>612</u>
<u>Part 4 Bid Items</u>	<u>613</u>
<u>Part 5 Bid Items</u>	<u>615</u>
<u>Part 6 Bid Items</u>	<u>625</u>
<u>INDEX</u>	<u>644</u>
<u>A</u>	<u>644</u>
<u>B</u>	<u>645</u>
<u>C</u>	<u>647</u>
<u>D</u>	<u>653</u>
<u>E</u>	<u>654</u>
<u>F</u>	<u>656</u>
<u>G</u>	<u>658</u>
<u>H</u>	<u>658</u>
<u>I</u>	<u>659</u>
<u>J</u>	<u>660</u>
<u>K</u>	<u>661</u>
<u>L</u>	<u>661</u>
<u>M</u>	<u>661</u>
<u>N</u>	<u>663</u>
<u>O</u>	<u>664</u>
<u>P</u>	<u>664</u>
<u>Q</u>	<u>668</u>
<u>R</u>	<u>668</u>
<u>S</u>	<u>670</u>
<u>T</u>	<u>674</u>
<u>U</u>	<u>675</u>
<u>V</u>	<u>676</u>
<u>W</u>	<u>676</u>

<u>Z</u>	<u>677</u>
<u>APPENDIX</u>	<u>678</u>
<u>CONVERSION TABLE U.S. STANDARD MEASURE TO SI METRIC</u>	<u>678</u>
<u>STANDARD SIEVE SIZES</u>	<u>679</u>
<u>BID ITEM UNIT ABBREVIATIONS</u>	<u>679</u>
<u>CONVERSION TABLE SI METRIC TO U.S. STANDARD MEASURE</u>	<u>680</u>
<u>SI METRIC ABBREVIATIONS</u>	<u>681</u>